

NOTE!

- 1) These prices apply only to boats delivered before 15 July 1979
- 2) For boats contracted for delivery 15 July - 31 Dec 1979, please add 4.5 %
- 3) For boats contracted for delivery 1 Jan - 15 July 1980, please add 9 %

SWAN 65

PRICELIST OF OPTIONAL EQUIPMENT FOR:

NAUTOR'S SWAN 65

January 1st, 1979

NAUTOR
Oy Wilh. Schauman Ab

PIETARSAARI, FINLAND
TELEPHONE: 67/18204, TELEX 75-47 nauto sf

This pricelist is in effect from the date above mentioned.

The prices are subject to changes without prior notice. The prices quoted include all handling and installation costs where not otherwise stated. The installation of other items is charged on a time and material basis. NAUTOR reserves the right to refuse the installation of accessories not purchased from NAUTOR. Warranty applies only to items for which separate manufacturer's guarantee is supplied. NAUTOR reserves the right to charge for the delivery costs beyond our control, e.g. air freight charges owing to harbour strike or rush delivery.

SECTION 1 HULL

FIM

1-65-000	Coloured hull (white standard)	6.100
----------	--------------------------------	-------

SECTION 2 DECK

2-65-000	Teak deck (incl. cockpit and bridge deck)	87.020
2-65-001	Teak in cockpit and on bridge deck	14.630
2-65-005	Teak on coaming	12.800
X-link for Lewmar 65 CP		
2-65-222	- connected to coaming fore & aft/pair	12.860
2-65-232	- cross-linked with Lewmar 1379 Modular Pedestal on center line	29.610
2-65-225	Genoa sheet winches 2 x Lewmar 65 S self-tailing (instead of 2 x Lewmar 65 CP)	4.900
2-65-226	Main sheet winch 1 x Lewmar 44 S self-tailing (instead of 1 x Lewmar 42 C)	2.130
Extra winches on coaming:		
2-65-204	Lewmar 44 (per pair)	4.220
2-65-205	Lewmar 48 CP (per pair)	5.540
2-65-206	Lewmar 55 CP (per pair)	7.790
2-65-207	Lewmar 65 CP (per pair)	10.500
2-65-034	Anchor windlass Falcon 1500 24 V (no hatch to forpeak)	8.940
2-65-035	Foot switch for windlass	550
2-65-040	Chain pipe	790
2-65-041	Chain pipe and box	2.570
2-65-042	Gate in pushpit	1.840
2-65-043	Gangway fitting	410
2-65-044	Gate in lifeline(each)	1.400
2-65-050	Deck prisms (each)	550
2-65-003B	Deck hatch to anchor stowage (forestay release lever omitted)	7.380
2-65-100	Openable ports for foward toilets (deck prism omitted)	5.520

SECTION 3 INTERIOR

3-65-000	2" thick mattresses for pipe berths	920
3-65-001	Curtains for side windows	770
3-65-020	Teak cover for main mast	2.540
3-65-021	Teak cover for mizzen mast	3.900

SECTION 4 ENGINE

4-65-015	Fixed 3-blade propeller 20"	2.570
4-65-020	Luke automatic feathering three blade propeller 0 21" (instead of standard propeller)	7.410

SECTION 5 PLUMBING, HEATING etc.

5-65-012	Electric stove Princess (instead of standard)	8.340
5-65-017	Webasto cabin heater 9500	17.350
5-65-026	Electric bilge pump PAR 4600 K (automatic	
5-65-031	Chassis for engine	

5-65-043	Electric sump tank pump 1 pc	2.330
5-65-051	Stainless steel holding tanks with handpump and pipes 2 pcs	14.150
5-65-052	Suction pipe for holding tank	580
5-65-055	Electric holding tank pump	3.110
5-65-075	Fresh water tank gauges	3.620
5-65-065	Drinking water purifier	910

SECTION 6 ELECTRIC EQUIPMENT

6-65-002	Shore power 220/110 V 25 A 50 Hz or 60 Hz	14.250
6-65-003	Shore power 220 V 25 A 50 Hz or 60 Hz	8.090
6-65-008	Battery charger 220/24V 60 A type MLA with teak cabinet	7.280
6-65-010	24V outlet in cockpit or in cabin	400
6-65-015	Spreader deck lights on main mast	1.130
6-65-016	Flood light on main mast directed upwards	710
6-65-017	Anchor light with cable and plug	470
6-65-018	Windex light	240
6-65-020	Red over green navigation lights on mast	2.147
6-65-035	Electric foghorn, manual	1.510
6-65-036	Foghorn 24V DC, automatic	2.420

QUOTATION UPON REQUEST:

Diesel generator G&M Power Plant 7 MDL-53 CR

SECTION 7 INSTRUMENTATION

Navigation instrumentation:

Brookes & Gatehouse:

Hengist/Horsa

7-65-000	Wind instrument pack A4	7.960
7-65	Wind instrument pack D3, digital	6.710
7-65-001	Extra repeater 360	1.430
7-65-002	Extra repeater close haul	1.400
7-65-003	Extra repeater 0 - 60 knots	1.250

Horatio

7-65-005	Performance computer (pack 1) + Hengist/Horsa (pack 4)	11.170
7-65-006	Extra repeater (performance indicator)	1.220

Harrier

7-65-007	Log and speedometer 0 - 15 knots pack 5	5.860
7-65-010	Resettable log repeater for pack 5	720
7-65-013	Log and speedometer 0 - 16 knots pack 4	4.170
7-65-016	Resettable log repeater for pack 4	920
7-65-008	Extra underwater unit + gravity switch	1.458
7-65-009	Extra water speed repeater in cockpit	1.230
7-65-014	Extra repeater (Hound)	1.230
7-65-015	Hermit Digital Speed meter	2.120
7-65-017	Hermit Digital Speed meter replacing analog meter on Harrier pack 5	1.000

Hecta

7-65-023	Echo sounder M200RS	7.020
----------	---------------------	-------

7-65-024	Hadrian dead reckoning computer and steering indicator	8.680
7-65-025	Extra remote steering indicator	1.510
7-65	SIGNET 4000	15.100
7-65	SIGNET 4000 with two repeater units	19.670

Radio equipment:

Sailor

7-65-044	VHF radio telephone RT 144 Simplex with Dual watch	6.560
7-65-043	VHF radio telephone RT 143 Duplex	10.580
7-65-032	Marine receiver R108 (incl. loudspeaker)	3.660
7-65-033	Radio DF compass 171 BK	2.140
7-65-034	Headphones for above	280
7-65-046B	Dancom VHF radio telephone RT 408 24V	7.400
7-65-042	Homer Digitune	2.310

Aerials:

7-65-047	Antenna coupler	7.980
7-65-057	Insulated fresh water stay (receiver aerial)	1.110
7-65-059	Insulated mizzen top shroud (transmitter aerial)	630
7-65-049	Whip antenna 4.8 m	960
7-65-058	Whip antenna 7 m	1.430
7-65-050	VHF antenna and cable	1.100
7-65-089	Danforth Constellation compasses S550 with rheostat installed on coaming (2 pcs)	2.940

Miscellaneous:

7-65-051	Philips radio receiver & cartridge player (incl. two loudspeakers)	2.910
7-65-055	Extra loudspeakers with change-over switch	840
7-65-056	Loudspeakers in cockpit with change-over switch	950
7-65-080	Windex	360
7-65-081	Clinometer Rieker	180
7-65-083	Gas detector	800
7-65-093	Neco autopilot 17,5 rpm	16.690
7-65-094	Neco remote control	1.270

QUOTATION UPON REQUEST

Radar Decca 060

SECTION 8 RIGGING

Hydraulic backstay tensioner Krueger:

8-65-101	Ketch 5/8 x 6 (2 pcs)	8.600
8-65-102	Sloop 3/4 x 6	4.600
8-65-013	Spinnaker halyard winch mounted on deck	1.310
8-65-203	Spinnaker pole topping lift Lewmar 40 (2 winches)	2.200
8-65-015	Slabreefing on mizzen	4.130

SECTION 9 EQUIPMENT & MISCELLANEOUS

Safety equipment:		
9-65-000	Horse shoe lifebuoys and lights mounted on pushpit	995
9-65-005	Liferaft (Beaufort) 6 pers. soft pack	5.450
9-65-006	Liferaft (Beaufort) 8 pers. soft pack	6.050
9-65-010	Safety harness (each)	190
9-65-011	Hard weather safety , per pair	650
9-65-015	ORC safety kit (see separate specification)	2.910
Fire extinguishers		
Effective for A, B and C class fires:		
9-65-030	Powder 4 lbs	290
For B and C class fires:		
9-65-031	Freon 3 lbs portable	480
9-65-095	Freon 1301 3 lbs automatic action for engine room	280
9-65-096	Freon 1301 3 lbs remote control for engine room	790
Anchoring and mooring equipment:		
9-65-040	Danforth 35H	1.130
9-65-048	Danforth 90H	1.610
9-65-058	Plough anchor CQR 105	1.600
9-65-071	Chain calibrated galvanized 1/2" (per m40	80
9-65-075	Fenders 22 x 85 cm (each)	7
9-65-076	Mooring line Ø 20 mm (per m)	140
9-65-055	Fitting for plough anchor mounted on stemhead	
Miscellaneous:		
9-65-083	Helmsman's cushion and backrest	750
9-65-084	Complete cockpit upholstery	880
9-65-085	Elkhide on steering wheel	550
9-65-086	Binocular box (Canpa)	90
9-65-087	Mosquito screens with Velcro fastenings	660
9-65-091	Tarpaulin, small	3.250
9-65-093	Launching and rigging in Pietarsaari	22.080
9-65-100	IOR rating certificate	1.010
9-65-110	Winch handles 8" lock-in	130
9-65-111	Winch handles 10" lock-in	160
9-65-112	Winch handles 10" double grip	200
9-65-113	Winch handles 10" ratchet	290
9-65-120	Half model (one included in standard price)	400
9-65-130	Fold-up transom ladder (stainless)	2.300
9-65-105	Compass deviation card	440

QUOTATION UPON REQUEST

Dieselgenerator ONAN 6.0 MDJE-53 CR
 Baron Sailboat Console
 SSB transmitter T126 400W 24V, 31 ch
 1.6 - 4.2 MHz
 SSB marine receiver R105 (incl. loudspeaker)
 23 ch
 SSB chrystals (radio frequencies have to be specified) each
 SSB radio transmitter T 124 140W, 31 ch
 1.6 - 8 MHz

Final tuning of SSB radios (has to be done
when boat is launched and rigged)
Omega navigation receiver 1197 A with
automatic synchronization and one frequency.
Omega navigation receiver 1107 AD with
automatic synchronization and two frequencies.
10.2 and 13.6 kHz.